

ELECTRICAL LEGEND

- ⊕ DUPLEX OUTLET 1/2"
- ⊕ DUPLEX OUTLET 1/2" W/ GROUND FAULT INTERRUPTER
- ⊕ 220V. RANGE OUTLET OR DRYER OUTLET
- ⊕ JUNCTION BOX
- ⊕ 4-WAY SWITCH
- ⊕ 2-WAY SWITCH
- ⊕ FUSE OUTLET
- ⊕ CEILING MOUNTED FIXTURE (FRONT VIEW ONLY)
- ⊕ WALL MOUNTED FIXTURE
- ⊕ EXHAUST FAN
- ⊕ EXHAUST FAN W/ HEAT LAMP
- ⊕ EXHAUST FAN W/ LIGHT FIXTURE
- P.C. - PORCELAIN PULL CHAIN

NOTE:

Electric meter banks to be located at ends of West legs of each cluster. (See Site Utility Plan). Provide fusible service disconnect above meter. Rigid metallic conduit must be provided for penetration of fire wall. Run service cable in floor slab for all units. All fans to exhaust directly to outside with solid connections.


Alternate:

Provide plastic conduit as required for installation of Cable T.V. and/or Master T.V. Antenna. Verify location and number of outlets.

Notes:

Provide for 2 porcelain pull chains in attic space of each unit - verify location.

UNIT "A"



CONSTRUCTION DRAWINGS

Date 5-29-84


5" CONC BUCK (MIN) OR PYRO-BAR TO BOT. OF ROOF SHEATHING 2 HR. RATED.

* IN GARAGE 2 LAYERS OF 1/2" FIRE CODE GYP. BR. BOTH SIDES OF STUDS. EXTEND TO BOT. OF ROOF DECK.

Mechanical Contractor to provide for combustion air for heater portion of utility rooms. All fans to exhaust directly to outside with solid connection. With raincap.

Note:

- Interior dimensions as shown on plans are correct but not to scale. Do not scale drawings.
- See Sheet A-1 for door schedule.



BUILDING NO. 4

KEY PLAN SCALE 1"=60'-0"

ELECTRICAL UNIT "A*1" FLOOR PLAN

SCALE: 1/4"=1'-0"
UNIT A*2 SIMILAR

Note:

Gas meter manifolds to be located at ends of west legs of each cluster. Provide gas service in black iron pipe from meter overhead through units in plastic conduit.

WINDOW SCHEDULE

Room	Window Schedule
MBR	1 4-2060 LFR
BR	1 2-2060 LR
KITCHEN	1 3-1636 FFF
BRKFAST	1 AB/30-20-36-2048
KITCHEN	1 2-1636 LR

Rough Openings

8'-5-3/4" x 5'-6-1/2"
4'-3-1/4" x 5'-6-1/2"
5'-4-1/2" x 3'-6-1/2"
7'-3-7/8" x 4'-6-1/2"
3'-7-1/4" x 3'-6-1/2"

© COPYRIGHTED MOSKOWITZ & COMPANY DATE 5/29/84

WARNING: Certain concepts embodied in this drawing are covered by U.S. Patent No. 4,345,407

Naurence J. Fishman, Inventor

** 2-LAYERS OF 1/2" FIRE CODE GYP. BR. EACH SIDE OF STUDS. EXTEND TO BOT. OF ROOF DECK.

NOTE: SEE ARCHITECTURAL FLOOR PLANS FOR EXACT WALL TYPE @ ENDS OF UNITS.

KEEVA J. KEKST ASSOCIATES ARCHITECTS INC.

ELECTRICAL UNIT "A*1" BUILDING NO. 4

DWN. BY DATE 5/29/84 JOB NO. 81072

SCALE 1"=60'-0"

WESTERN RESERVE BUILDING CLEVELAND, OHIO 44113, 216-781-9144

RICHMOND ROAD CONDOMINIUMS RICHMOND ROAD BEACHWOOD, OHIO CONDOMINIUM FOR ARCHITECTS INC. CLEVELAND

